EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	620	(decoder\$1 same voltage\$1) and (current\$1 same (line\$1 or path\$1) same isolat\$4) and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/04/24 07:38
L2 .	330	((word or row\$1) same decoder\$1 same voltage\$1) and (current\$1 same (line\$1 or path\$1) same isolat\$4) and test\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 07:38
L3	255	((word or row\$1) same decoder\$1 same voltage\$1) and (current\$1 same (line\$1 or path\$1) same isolat\$4) and test\$3 and normal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 07:38
L4	165	(decoder\$1 same voltage\$1) and (current\$1 same isolat\$4 same test\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 07:38
L5	120	(decoder\$1 same voltage\$1) and (current\$1 same isolat\$4 same test\$3 same voltage\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 07:38
L6	103	(decoder\$1 same voltage\$1) and (current\$1 same (line\$1 or path\$1) same isolat\$4 same test\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 07:39
L7	279	1 and ("365"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 07:39
L8	233	2 and ("365"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 07:39
L9	178	3 and ("365"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 07:39

EAST Search History

L10	60	4 and ("365"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 07:39
L11	49	5 and ("365"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 07:39
L12	37	6 and ("365"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/24 07:39

4/24/06 7:39:56 AM C:\Documents and Settings\DLam\My Documents\EAST\Workspaces\default.wsp